

LUMILEDS LUXEON I & LUXEON III			
Code number	Description	Angle	Lens size
950001000	Power Optic Spot 19 LL	8°	Ø 19,7 mm
950001010	Power Optic Flood 19 LL	30°	Ø 19,7 mm
950001020	Power Optic Diffuse 19 LL	45°	Ø 19,7 mm
950001030	Power Optic Line 19 LL	8°x30°	Ø 19,7 mm
950001040	Power Optic Spot 26 LL	6°	Ø 26 mm
950001050	Power Optic Flood 26 LL	25°	Ø 26 mm
950001060	Power Optic Diffuse 26 LL	45°	Ø 26 mm
950001070	Power Optic Line 26 LL	8°x30°	Ø 26 mm

LUMILEDS LUXEON K2			
Code number	Description	Angle	Lens size
950001530	Power Optic Spot 19 K2	10°	Ø 19,7 mm
950001540	Power Optic Flood 19 K2	25°	Ø 19,7 mm
950001550	Power Optic Diffuse 19 K2	40°	Ø 19,7 mm
950001560	Power Optic Line 19 K2	12°x30°	Ø 19,7 mm
950001570	Power Optic Spot 26 K2	6°	Ø 26 mm
950001580	Power Optic Flood 26 K2	24°	Ø 26 mm
950001590	Power Optic Diffuse 26 K2	38°	Ø 26 mm
950001600	Power Optic Line 26 K2	7°x30°	Ø 26 mm
950001410	Power Optic Spot 50 K2 (3 LEDs mounted)	10°	Ø 50 mm

LUMILEDS LUXEON REBEL			
Code number	Description	Angle	Lens size
950001320	Power Optic Spot 19 LR	10°	Ø 19,7 mm
950001330	Power Optic Flood 19 LR	24°	Ø 19,7 mm
950001340	Power Optic Diffuse 19 LR	40°	Ø 19,7 mm
950001350	Power Optic Line 19 LR	12°x30°	Ø 19,7 mm
950001360	Power Optic Spot 26 LR	6°	Ø 26 mm
950001370	Power Optic Flood 26 LR	28°	Ø 26 mm
950001380	Power Optic Diffuse 26 LR	40°	Ø 26 mm
950001390	Power Optic Line 26 LR	7°x30°	Ø 26 mm
950001620	Power Optic Spot 31 4LR (4 LEDs mounted)	15°	Ø 35 mm
950001610	Power Optic Flood 31 4LR (4 LEDs mounted)	30°	Ø 35 mm
950001690	Power Optic Line 31 4LR (4 LEDs mounted)	15°x90°	Ø 35 mm
950001710	Power Optic Spot 10 LR	20°	Ø 10,3 mm

CREE XLAMP XR-E & XR-C			
Code number	Description	Angle	Lens size
950001450	Power Optic Spot 19 XR	10°	Ø 19,7 mm
950001460	Power Optic Flood 19 XR	30°	Ø 19,7 mm
950001470	Power Optic Diffuse 19 XR	45°	Ø 19,7 mm
950001480	Power Optic Line 19 XR	12°x30°	Ø 19,7 mm
950001490	Power Optic Spot 26 XR	9°	Ø 26 mm
950001500	Power Optic Flood 26 XR	30°	Ø 26 mm
950001510	Power Optic Diffuse 26 XR	45°	Ø 26 mm
950001520	Power Optic Line 26 XR	12°x30°	Ø 26 mm
950001440	Power Optic Spot 50 XR (3 LEDs mounted)	10°	Ø 50 mm

OSRAM GOLDEN DRAGON & PLATINUM DRAGON			
Code number	Description	Angle	Lens size
950001150	Power Optic Spot 19 GD	7°	Ø 19,7 mm
950001160	Power Optic Flood 19 GD	30°	Ø 19,7 mm
950001170	Power Optic Diffuse 19 GD	40°	Ø 19,7 mm
950001180	Power Optic Line 19 GD	10°x30°	Ø 19,7 mm
950001190	Power Optic Spot 26 GD	5°	Ø 26 mm
950001200	Power Optic Flood 26 GD	25°	Ø 26 mm
950001210	Power Optic Diffuse 26 GD	40°	Ø 26 mm
950001220	Power Optic Line 26 GD	8°x30°	Ø 26 mm
950001230	Primary lens Side emitting GD	80°	6,3 x 3,3 mm
950001660	Primary lens 20 GD	20°	Ø 8,5 mm
950001670	Primary lens 40 GD	40°	Ø 8,5 mm
950001680	Primary lens 70 GD	70°	Ø 8,5 mm

SEOUL SEMICONDUCTOR P3 & P4			
Code number	Description	Angle	Lens size
950001240	Power Optic Spot 19 P3	10°	Ø 19,7 mm
950001250	Power Optic Flood 19 P3	30°	Ø 19,7 mm
950001260	Power Optic Diffuse 19 P3	45°	Ø 19,7 mm
950001270	Power Optic Line 19 P3	12°x30°	Ø 19,7 mm
950001280	Power Optic Spot 26 P3	9°	Ø 26 mm
950001290	Power Optic Flood 26 P3	30°	Ø 26 mm
950001300	Power Optic Diffuse 26 P3	45°	Ø 26 mm
950001310	Power Optic Line 26 P3	12°x30°	Ø 26 mm
950001430	Power Optic Spot 50 P3 (3 LEDs mounted)	10°	Ø 50 mm

OSRAM OSLON			
Code number	Description	Angle	Lens size
950001700	Power Optic Spot 10 OSLSSL	20°	Ø 10,3 mm